



- ▶ ShoreMaster Floating Boat Lifts
- ▶ Galva-Lift Floating Boat Lifts
- ▶ ShoreMaster PWC Floating Lifts
- ▶ Galva-Lift PWC Floating Lifts
- ▶ Shoreport PWC Floating Lifts

SHOREMASTER
FLOATING
BOAT LIFTS



Premier Waterfront Products

SHOREMASTER



SHOREMASTER FLOATING **BOAT LIFTS**

ShoreMaster's line of floating boat lifts is created to withstand the toughest marine environments. For over forty years, *ShoreMaster* has been designing, manufacturing and installing the best built Marinas, Home Owners Association Docks, Private Docks and Boat Lifts in the industry. Naturally, we know a thing or two about the conditions that these products are subjected to in the marine environment. When you choose a **ShoreMaster Floating Boat Lift**, you get the best product in the industry backed by over forty years of boat lift, dock, marina and waterfront equipment design, manufacture, and installation experience. We know of no other waterfront equipment company in the world that can make that claim.

Versatility

From the lightest-weight personal watercraft lift to a 27,000 lb. marvel of boat lifting ingenuity, **ShoreMaster Floating Boat Lifts** will fit your application perfectly. Whether you need a boat lift for your private dock, rented slip or your full service marina, **ShoreMaster Floating Boat Lifts** are your perfect choice.

Durability

Even after years of punishing waves and continuous use, your **ShoreMaster Floating Boat Lift** will operate just as it should, like the first day it was installed. *ShoreMaster* manufactures every lift to exacting standards, so you can rest assured knowing that your boat will be protected day in and day out.

Protection

When properly positioned on a **ShoreMaster Floating Boat Lift**, your boat is instantly protected from the chemicals and algae found in even the clearest water, while the potential for damage from wind and wake-driven waves is eliminated. **ShoreMaster Floating Boat Lifts** protect your boat so you'll spend more time boating and less time with cleaning and maintenance.

All ShoreMaster and Galva-Lift Floating Lifts are equipped with:

- Bushings at all pivot points.
- Hot-dip zinc galvanized steel (*after fabrication for maximum corrosion resistance*).
- Heavy-duty channel and tube construction.
- **Galva-Lift** models use 2-1/2" tubing on all arms.
- **ShoreMaster Floating Boat Lifts** models use 2" tubing on all arms.
- Carpeted bunks (**Galva-Lift** Models P-120 through P-270 includes carpeted bunks and V-Pads for additional protection). High-grade marine carpet on all bunks for extra durability and protection for your boat's hull. Fully-adjustable carpeted bunks accept virtually any type of boat hull.



SHOREMASTER
FLOATING
BOAT LIFTS



MARINE
GALVA-LIFT
FLOATING BOAT LIFTS
INDUSTRIES

SHOREMASTER FLOATING BOAT LIFTS



All metal surfaces remain out of the water on all ShoreMaster Front-Mounted Floating Boat Lifts.

The versatile **ShoreMaster Floating Boat Lift** is available in both a *four-point, L-arm style* and in a *front-mount style* which works well for wide or double slips found in many Lake Association community docks. **ShoreMaster Floating Boat Lifts** are designed to reduce stress on the dock systems on which they are installed. This is largely due to the fact that the floating lift, when in the raised position, floats on its own without using the floatation capacity of the dock system. Typically, the dock system simply holds the lift in place. Because the lift is attached to the dock system, any of the boat lift's unused floatation capacity can be transferred back to the dock system.

Ready for installation

All **ShoreMaster Floating Boat Lifts** come ready for installation and include a control unit and dock brackets ready to install on your unique dock system. An optional floating lift remote control unit is available and allows you to operate your lift with the touch of a button, even while out on the water!

Modular Design

The modular design of the **ShoreMaster Floating Boat Lifts** allows you to easily upgrade your boat lift from 4,000 lbs. capacity up to 8,000 lbs. capacity simply by adding tanks.

Galvanized Steel Frame

All **ShoreMaster Floating Boat Lifts** utilize a durable, time-tested, hot-dipped galvanized steel frame for maximum rigidity and years of worry-free operation. *ShoreMaster's* hot-dip zinc galvanized steel frame resists corrosion and is designed so that all metal parts remain above water when the lift is in the raised, or in the storage position.

Roto-molded Tanks

ShoreMaster Floating Boat Lifts are floated by the industry standard roto-molded polyethylene tanks available in blue or gray. The roto-molded tank means that you get a seamless, one-piece tank for maximum rigidity and crush resistance. The boat lift frame attaches to the top surface of the tank so there is no steel left in the water when the boat lift is in the up position.

Versatility

No matter what type of boat you have, or whether your site conditions require a front mount, or standard mount floating lift, you'll find just what you need with *ShoreMaster*. All **ShoreMaster Floating Boat Lifts** can accommodate boats, pontoons, tri-toons and deckboats with our adaptive bunk set up. Guides are available. And lift guide brackets are available for the front mount lifts which can help to secure the lift in a wide slip and may even help to stiffen your dock's walkway!

ShoreMaster Floating Boat Lift Model Chart

Model	Type	Lifting Style	Rated Lift Capacity (lbs.)	Slip Widths	Minimum Water Depth	Tanks (Choose Grey or Blue)	Bunks
SM - 40	Arm Lift	Level	4,000	10' - 12'	4.5'	4 - 24" x 8'	2 - 14'
SM - 40 PNT	Pontoon	Level	4,000	10' - 12'	4.5'	4 - 24" x 8'	4 - 14'
SM - 40 TRI	Tri-Toon	Level	4,000	10' - 12'	4.5'	4 - 24" x 8'	6 - 14'
SM - 40 FM	Front Mount	Swing	4,000	10' - 12'	4.5'	4 - 24" x 8'	2 - 14'
SM - 50	Arm Lift	Level	5,000	10' - 12'	4.5'	5 - 24" x 8'	2 - 14'
SM - 50 PNT	Pontoon	Level	5,000	10' - 12'	4.5'	5 - 24" x 8'	4 - 14'
SM - 50 TRI	Tri-Toon	Level	5,000	10' - 12'	4.5'	5 - 24" x 8'	6 - 14'
SM - 50 FM	Front Mount	Swing	5,000	10' - 12'	4.5'	5 - 24" x 8'	2 - 14'
SM - 60	Arm Lift	Level	6,000	10' - 12'	4.5'	6 - 24" x 8'	2 - 14'
SM - 60 PNT	Pontoon	Level	6,000	10' - 12'	4.5'	6 - 24" x 8'	4 - 14'
SM - 60 TRI	Tri-Toon	Level	6,000	10' - 12'	4.5'	6 - 24" x 8'	6 - 14'
SM - 60 FM	Front Mount	Swing	6,000	10' - 12'	4.5'	6 - 24" x 8'	2 - 14'
SM-80	Arm Lift	Level	8,000	12' - 14'	5'	8 - 24" x 8'	2 - 14'

* Wide Well also available: 13' - 14' 6" And: 15' - 16' 6"

All Front-Mount Lifts also available in Pontoon and Tri-Toon models



ShoreMaster's **Galva-Lift** is the recognized leader in durable, rough-water floating boat lifts. The **Galva-Lift** was conceived and has been time tested in the turbulent waters of Lake of the Ozarks. The **Galva-Lift** uses high-density polyethylene tanks that are manufactured using the exclusive *Extrutek Fusion* technology process for superior flotation. Front mount options are available in models P-45 and P-65.

Galva-Lift Floating Boat Lifts

Installed to Last

All *ShoreMaster Galva-Lift* models come ready for installation and include a control unit, dock brackets and carpeted bunk set up. Choose an optional floating lift remote control unit when you need to operate your lift with the touch of a button, even while out on the water.

Heavy Duty

There is nothing lightweight about the **Galva-Lift Floating Boat Lift**. The **Galva-Lift** uses heavy-duty channel and tube construction to withstand the roughest water conditions. For additional support, the **Galva-Lift** employs 2" tubing on all arms.

Galva-Lift Floating Boat Lift Model Chart

Model	Rated Lift Capacity (lbs.)	Slip Width	Minimum Water Depth	Tanks	Bunks
P-45	4,500	8' - 12'	5'	2 - 30" x 13'	2 - 14'
P-65	6,500	9' - 12'	5.5'	2 - 30" x 17'	2 - 14'
P-85	8,500	10' - 12'	6'	2 - 30" x 18'	2 - 16'
P-100	10,000	10' - 12'	6.5'	2 - 32" x 22'	2 - 16
P-120	12,000	10' - 12'	6.5'	2 - 32" x 26'	4 - 10' / 1 - Vpad
P-140	14,000	12'	7'	1 - 32" x 10' / 2 - 32" x 26"	4 - 10' / 1 - Vpad
P-170	17,000	12'	7'	1 - 32" x 22' / 2 - 32" x 26"	4 - 10' / 1 - Vpad
P-200	20,000	14'	7'	2 - 36" x 26' / 1 - 36" x 24"	4 - 10' / 2 - Vpad
P-240	24,000	15'	7'	2 - 32" x 28' / 2 - 32" x 24"	4 - 10' / 2 - Vpad
P-270	27,000	16'	7'	2 - 36" x 28' / 2 - 36" x 24"	4 - 10' / 2 - Vpad

* Front Mount available on models P-45 and P-65. Pontoon, Tri-Toon and Shallow Water Kits also available. Deep Drop / Back In available on Models P-85 to P-270.



Galvanized Steel Frame

All *ShoreMaster Galva-Lift Floating Boat Lifts* utilize a durable, time-tested, hot-dip zinc galvanized steel frame for maximum rigidity and years of worry-free operation. The **Galva-Lift's** hot-dipped galvanized steel frame resists corrosion while ensuring the most secure attachment of its tanks compared to similar lift types.

HDPE Extruded Tanks

The **Galva-Lift** uses virtually "bullet-proof" HDPE (High Density Polyethylene) tanks that are manufactured using the exclusive *Extrutek Fusion* technology process. These tanks guarantee maximum rigidity and crush resistance while the HDPE provides a small amount of negative buoyancy which means less weight and stress on your dock. Galva-Lift Tanks: 3/4" to 1" sidewall makes HDPE tanks virtually "bullet proof." HDPE inset welded end caps for superior strength and air retention.



ShoreMaster Floating PWC Lift Model Chart

Model	Type	Rated Lift Capacity (lbs.)	Minimum Water Depth	Tanks (Choose Grey or Blue)	Bunks
SM - 10 NF	Front Mount/Narrow Frame	1,000	4.5'	1 - 24" x 8'2"	2" x 4" x 10'
SM - 10 WF	Front Mount/Wide Frame	1,000	4.5'	2 - 24" x 8'2"	2" x 4" x 10'
SM - 20 NF	Front Mount/Double-Narrow Frame	2,000	4.5'	2 - 24" x 8'4"	2" x 4" x 10'
SM - 20 WF	Front Mount/Double-Wide Frame	2,000	4.5'	2 - 24" x 8'4"	2" x 4" x 10'

SHOREMASTER FLOATING PWC LIFTS

ShoreMaster's Floating PWC Lift is designed to securely protect your personal watercraft from the harshest marine environments. When you store your PWC on a **ShoreMaster's Floating PWC Lift**, you are not only making it easier to load and unload your PWC and eliminating boat ramp hassles, you are reducing the need for cleaning and maintenance to its hull and outdrive.

ShoreMaster Floating PWC Lifts

Ready for installation

ShoreMaster Floating PWC Lifts are ready for installation and come equipped with bunks, dock brackets, and a control unit so you can begin protecting your PWC from the moment it is installed.

Galvanized Steel Frame

All **ShoreMaster Floating PWC Lifts** utilize a durable, time-tested, hot-dip zinc galvanized steel frame for maximum rigidity and years of worry-free operation. *ShoreMaster's* hot-dipped galvanized steel frame resists corrosion and is designed so that all metal parts remain above water when the lift is in the raised, or in the storage position. Our PWC lifts are available in single or double PWC configurations and narrow or wide frame set ups.

Roto-molded Tanks

ShoreMaster Floating PWC Lifts are floated by the industry-standard roto-molded polyethylene tanks available in blue or gray. The roto-molded tank means that you get a seamless, one-piece tank for maximum rigidity and crush resistance.

Ease of Use

ShoreMaster Floating PWC Lifts provide you with a simple trouble free way to access and store your PWC. From the simple, easy-to-operate control unit to the durability of the roto-molded tanks and the corrosion-resistant galvanized steel frame you'll get peace of mind knowing that your PWC is protected from the elements and ready to hit the water when you are.



Galva-Lift Floating PWC Lifts

Ready for installation

The **Galva-Lift Floating PWC Lifts** are ready for installation and come equipped with bunks, dock brackets, and a control unit so you can begin protecting your PWC from the moment it is installed.

Galvanized Steel Frame

All **Galva-Lift Floating PWC Lifts** utilize a hot-dip, zinc galvanized steel frame for maximum rigidity and corrosion protection. The **Galva-Lift Floating PWC Lifts** uses bushings at all pivot points to reduce wear and increase the lift's longevity.

HDPE Extruded Tanks

The **Galva-Lift** uses virtually "bullet-proof" HDPE (High Density Polyethylene) tanks that are manufactured using the exclusive *Extrutek Fusion* technology process. These tanks guarantee maximum rigidity and crush resistance while the HDPE provides a small amount of negative buoyancy which means less weight and stress on your dock.

Galva-Lift Tanks: 3/4" to 1" sidewall makes HDPE tanks virtually "bullet proof."

HDPE inset welded end caps for superior strength and air retention.



Galva-Lift Floating PWC Lift Model Chart

Model	Rated Lift Capacity (lbs.)	Frame Size	Minimum Water Depth	Tanks	Bunks
PWC Side Mount	1,100	60" x 69"	4.5'	2 - 16" x 10' poly tanks	2 - 2" x 4" x 8'
PWC Front Mount	1,100	39.5" x 120" / 59" x 120"	4.5'	1 - 25" x 8' poly tank	2 - 2" x 4" x 8'
PWC Front Mount, Dbl Frame	2,000	89" x 120" / 112" x 120"	4.5'	2 - 25" x 8' poly tanks	4 - 2" x 4" x 8'
PWC Front Mount	2,000	89" x 168" / 112" x 120"	4.5'	2 - 25" x 10' poly tanks	2 - 2" x 4" x 10'

PWC Side Mount, PWC Front Mount and PWC Front Mount Double Frame can be used for most personal watercrafts. The 89" x 168" front mount can be used for most small water jet powered boats. The 112" x 120" front mount can be used for 14' to 16' range small aluminum boats.

The **Galva-Lift Floating PWC Lift** is available in *front-mount* and *side-mount* configurations and each configuration uses the HDPE tanks for superior flotation and durability. The front-mount configuration attaches to an existing walkway or pier and operates from a front-mounted hinge which allows the lift to "swing" up or down when in operation. The side-mount configuration attaches to the side of a finger or walkway while the lift operates on a level attitude.





SHOREPORT PWC LIFT

The **ShorePort** is the most effective way to dry-dock your personal watercraft. The **ShorePort** makes

loading and unloading your PWC fun by making the process smooth and simple. The **ShorePort** uses a three roller system to get your PWC up and out of the elements with a simple flick of the throttle. When it's time to unload your PWC, a gentle push is all that's required. **ShorePort** is a very attractive option if you like to share your PWC with friends and family. Its one-piece, simple design makes it tough enough to withstand constant abuse. The **ShorePort** can also be connected to another **ShorePort**, or more, giving you a solid and stable platform for dry-docking your fleet of PWCs. The **ShorePort** works just as well in a private dock as it does alone or connected to multiple **ShorePorts** in a public marina. Try one and you'll see why more and more people are choosing the **ShorePort** for their PWC dry-docking solution.

SHOREPORT PWC LIFT



Keel Roller

- Standard 3-roller system provides easy drive-on and roll-off launching
- Clear non-marring poly rollers adjust to conform to any hull design.



Stand-Off/Pipe Bracket

- Designed to allow you to attach **ShorePort** to fixed and standing dock systems.



Flexi-Hinge

- Designed to allow you to attach **ShorePort** to most floating dock systems.




Side Mount Flexi-Hinge

- Same benefits as standard Flexi-Hinge, but allows you to mount your **ShorePort** parallel to your floating dock.

ShorePort Floating PWC Lift Model Chart

Model	Weight Capacity	Width	Length	Weight
1150	1,150 lbs.	58"	138"	260 lbs.



SHOREMASTER
FLOATING
BOAT LIFTS

SHOREMASTER
FLOATING
PWC LIFTS

SHOREPORT
PWC LIFT



For more information visit your authorized ShoreMaster dealer or check us out online at www.shoremaster.com.

All ShoreMaster and Galva-Lift Floating Lifts are equipped with:

- Maintenance-free bushings at all pivot points.
- Hot-dip zinc galvanized steel (after fabrication for maximum corrosion resistance).
- Heavy-duty channel and tube construction.
- Galva-Lift models use 2-1/2" tubing on all arms.
- ShoreMaster Floating Lift models use 2" tubing on all arms.
- Carpeted bunks (Galva-Lift Models P-120 through P-270 includes carpeted bunks and V-Pads for additional protection). High-grade marine carpet on all bunks for extra durability and protection for your boats hull. Fully adjustable carpeted bunks accept virtually any type of boat hull.



15255 Gulf Frwy, Ste 141-A,
Houston, TX 77034
(281) 481-5555 / Conroe
(409) 370-5061 / Galveston
info@excellboatlifts.com
www.excellboatlifts.com



www.shoremaster.com